# INDEX TO VOLUME 59

New names and the final members of new combinations are in **bold face type.**
The genetic and specific names in the lists on pages 141–155 and 291–298 are not indexed.


Abrus 286; precatorius 284
Abutilon 283
Acacia 155; Farnesiana 288; Jupunba 155
Acalypha 283
Acer pennsylvanicum 409, 410; rubrum 406, 409, 410; saccharum 409
Achras Zapota 282, 287
Acrostichum 315
Actinococcus subcutaneus 350
Actinodothis 4
Adenodesma 365
Aeschynomene fascicularis 284
Aetanthus **colombianus** 513; Mutisii 513; ornatus 514
Agar, Inhibiting influence of 191
Agathis 177; philippinensis 177
Agave 19, 283; lechuguilla 18
Ailanthus altissima 326; glandulosa 324, 326
Alabama, A fossil green alga from 219
Aleuria 89
Alga from Alabama, A fossil green 219
Algae from Missouri, 289
ALLARD, H. A. A progeny study of the so-called oak species Quercus Saulii, with notes on other probable hybrids found in or near the District of Columbia 267
Alternaria Mali 415
Amazonia 4, 247, 260, 261
Ambrosia 318
American Botanical Literature, Index to 35, 103, 157, 229, 301, 377, 430, 500, 545
AMES, LAWRENCE M. An hermaphroditic self-sterile but cross-fertile condition in Pleurage anserina 341
AMIDEI, TERZO P. The anatomy of the leaf of Panicum palmifolium 491
Ampelopsis quinquifolia 334
Amphitrichum 242
Amygdalus 152
Anabaena 298; inaequalis 297
Ananas Magdalenae 283
Ananassa Ananas 140
Anatomy of the leaf of Panicum palmifolium 491
Andes, New Loranthaceae and Monimiaceae from the 513
Anomozamites 182; cretaceus 183; Muelleri 182
Aphanizomenon Flos-aquae 297
Aphanothece saxicola 296
Aralia spinosa 337
Arrabidea 283
Arthraxon 514
Asclepias curassavica 286
Aspergillus 192, 194, 200, 204, 208, 209, 213, 215, 222, 415, 443, 445, 446, 448, 453–459, 461–463, 465, 466, 468, 469, 471, 474–477, 482–485; ficum 453; flavus 446, 448; niger 191, 192, 194, 195, 197, 198, 202, 206, 208, 210, 212, 213, 215, 216, 443–485; oryzae 467
Aspergillus niger, Calcium and magnesium requirements of 443
Aspergillus niger, Inhibiting influence of colloidal starch, inulin, and agar on the stimulation of 191
Aspicarpa 327
Asteridium 260
Asterina 242, 248, 261, 262; spisa 248
Atamasco Atamosco 140
Atriplex hortensis 393
Attalea Cohune 288
Axinaea 369
Azotobacter Chroococcum 451

Bacillus subtilis 451, 452, 471
Bacterium coli 452
Bambusa spinosa 2
Banisteria leptocarpa 327, 329
Banksia 319, 335; Candolleana 336; Cunninghamia 336; marginata 336; media 336; prostrata 336
BARTLETT, HARLEY HARRIS, A biological survey of the Maya area 7
Batrachospermum virgatum 289
Bauhinia 283
Benzoin 325; aestivale 323
Beta vulgaris 393
Betula 315; lenta 409, 410; lutea 409, 410
Biological survey of the Maya area, A 7
Blakea 376; **bracteata** 375, 376; hirsuta 376
BLAKESLEE, A. F., J. T. BUCHHOLZ, and C. C. DOAK. Control of gametophytic selection in Datura through shortening and splicing of styles 109

Botanical exploration in tropical South America, The progress of 21
Botanical Literature, Index to American 35, 103, 157, 229, 301, 377, 430, 500, 545
Botrytis 347, 348; cinerea 191, 347, 349
Bowenia 187
Brasenia 322; peltata 322; Schreberi 322
Brosimum Alicastrum 284
BUCHHOLZ, J. T., C. C. DOAK, and A. F. BLAKESLEE. Control of gametophytic selection in Datura through shortening and splicing of styles 109
Bucklandia 172, 179; niersteinensis 172, 179
Bursera Simarubra 288
Byrsonima 327

Cabomba aquatica 322; caroliniana 322
Caeoma nitens 6, 358, 420
Calcium and magnesium requirements of Aspergillus niger 443
Calocarpum mammosum 288
Calothrix parietina 290
Canna generalis 321
Capnodium 260, 262
Capsella 394–396
Capsicum annuum 285, 286
Carex 244
Carphobolus 370
Carum Carui 140
Castalia 320
Castilla elastica 288
Casuarina leptoclada 541
Catalpa bignonioides 139; Catalpa 139
Cecropia 287
Ceiba 284; aesculifolia 285
Celastrus 330; scandens 330
Celtis 318
Ceratium Hirundinella 295
Ceratocarpia 243
Ceratostomella 356; pluriannulata 356
Ceratozamia 169–171, 180, 183, 184, 187; Hofmanni 170, 180; mexicana 169; **Wrightii** 169, 184
Ceratozamites 180, 185; vicetinus 170, 180
Chaetochloa palmifolia 491
Chamaecyparis thyoides 409
Chamaedorea graminifolia 284
Chamaesiphonales of Missouri 296
Characium Braunii 292
Chenopodium ambrosioides 286; bonus-henricus 391, 394–397; foetidum 392, 393
Cherry leaf, Regeneration in a sweet 423
Chilomonas Paramoecium 295
Chlamydomonas 449
Chlorophora tinctoria 287
**Chlorotylites** 219; **Berryi** 219, 220
Chlorotylites, a fossil green alga from Alabama 219
Chlorotylium 219, 220; cataractarum 220
CHRISTENSEN, CLYDE. Cultural races and production of variants in Pestalozzia funerea 525
Chroococcales of Missouri 296
Cladoclea 516
Cladophora 289, 290
Cladophorales of Missouri 293
Clematis dioica 284
Clethra alnifolia 409
Cola acuminata 334
Comptonia peregrina 323, 324
Control of gametophytic selection in Datura through shortening and splicing of styles 109
Corallorrhiza 427; Mertensiana 427; **purpurea** 427
Cordia 287; dodecandra 288
Cornus florida 409, 410
Crataegus 282
Crescentia Cujete 288
Cross-fertile condition in Pleurage anserina 341
Cucurbita 319, 338; Pepo 338
Cupressus Lawsoniana 541; lusitanica 541
Cycad 172
Cycadites 179, 185; Escheri 179
Cycads, Descriptions of new species of Tertiary 169
Cycas 181, 186, 187; fujiiana 181; revoluta 181, 182
Cydista 283
Cytological development of Meliola circinans 241

Dahlia variabilis 282
Dammara 177; obtusa 177
Dasylirion durangense 18
Datura 109, 286
Datura, Control of gametophytic selection in 109
Descriptions of new species of Tertiary cycads 169
Development of Meliola circinans 241
Development of the ascocarp in two species of Thielavia 415
Development of the embryo of Kochia scoparia, 391

Dictyostelium 49, 53, 72, 74, 76, 77, 79
Digitaria sanguinalis 114
Dimerium 248
Dinobryon sociale 295
Dioön 170, 171, 177, 182–184, 187; edule 177; **inopinus** 170, 184; **praespinulosum** 171, 184; spinulosum 172
Dioönites 171; borealis 171
DOAK, C. C., J. T. BUCHHOLZ and A. F. BLAKESLEE. Control of gametophytic selection in Datura through shortening and splicing of styles 109
DODGE, B. O. The non-sexual and sexual functions of microconidia of Neurospora 347
Draparnaldia 290
Drosophila 136, 347
DROUET, FRANCIS. A list of algae from Missouri 289
Dryandra floribunda 336; formosa 336

Ectocarpus 355
Ellisia 155, 156; Nyctelea 156
Embryo of Kochia scoparia, 391
EMMONS, C. W. The development of the ascocarp in two species of Thielavia 415
Encephalartus 178–181, 187; Altensteinii 181; Gorceixianus 178, 181
Endogenites echinatus 179
Endophyllum Euphorbiae-sylvaticae 420
Enteromorpha intestinalis 290, 293
Epipogum Epipogium 140
Eragrostis Eragrostis 140
Eriogonum 427, 428; **crispum** 427; **filiformum** 428; **Nelsonii** 428
Erysiphe 242, 250, 259
Erythrina 286
Euaetanthus 513
Eucalyptus 336; diversicolor 324, 332, 336; robusta 336
Euchlaena 16, 17; mexicana 16
Euglenineae of Missouri 295
Euonymus americanus 331
Eurotium 242
Exploration in tropical South America, The progress of botanical 21

Fagus 171; americana 409
Ficus 3, 5; cotinifolia 288; Wightiana 182
Field and herbarium studies, I 427
Flora of northern South America—XVII, Studies on the 361
Fossil green alga from Alabama 219
Fraxinus 317

Gametophytic selection in Datura through shortening and splicing of styles 109
Gaudichaudia 327–329; Karwinskiana 327, 328; pentandra 327, 328; Schiediana 327, 328
Genetics of Neurospora—I. The inheritance of response to heat-treatment 85;—II. Segregation of the sex factors in the asci of N. crassa, N. sitophila, and N. tetrasperma 119
Gibberella Saubinetii 450, 452
GLEASON, H. A. Studies on the flora of northern South America—XVII 361; The progress of botanical exploration in tropical South America 21
Gliricidia sepium 282, 286
Gloeocapsa 290
Glomerella cingulata 452
GRAFF, PAUL WEIDEMEYER, The morphological and cytological development of Meliola circinans 241
Graphiola 5
Graphium Ulmi 356
Green River flora, Pollen of the living representatives of the 313
Grossularia 152
Guaiacum sanctum 286
Guazuma 283
Gymnanthes lucida 286
Gymnopodium antigonoides 287

Hablitzia tamnoides 393
Haematoxylum Campechianum 287
Hamamelis virginiana 409
Hampea 283
HARPER, R. A. Organization and light relations in Polysphondylium 49
HARPER, ROLAND M. Useful plants of Yucatan 279
Heliconia 321, 323, 324; Bihai 321
Hemileia 1
Hepatica triloba 141
Hermaphroditic self-sterile but cross-fertile condition in Pleurage anserina 341
Heteranthera dubia 321
Heterokontae of Missouri 295
Heteropterys 328; acutifolia 327-329; africana 328; Beecheyana 327, 329; cornifolia 327, 329; Gayana 319, 327, 329
Hibiscus 283
Hippomane Mancinella 286
HOLLICK, ARTHUR. Descriptions of new

species of Tertiary cycads, with a review of those previously recorded 169
Homoeothrix endophytica 298
Hormogonales of Missouri 296
HOWE, MARSHALL A. Chlorotylites, a fossil green alga from Alabama 219
Humaria granulata 356
Hura 287; crepitans 286
Hystrix Hystrix 139; patula 139

Ibervillea 318; Lindheimeri 326, 338
Ilex 318
Index to American Botanical Literature 35, 103, 157, 229, 301, 377, 430, 500, 545
Inga 155
Inheritance of response to heat-treatment 85
Inhibiting influence of colloidal starch, inulin, and agar on the stimulation of Aspergillus niger by zinc sulphate 191
International program for a world-wide study of woods 29
Inulin, Inhibiting influence of 191
Irene 247
Irenina 247
Irenopsis 247
Ischaemum 491

Jacquinia 284
Janusia 328
Jatropha aconitifolia 285; Curcas 282, 288; Gaumeri 288
Jacunda 361
Jupunba 155; Jupunba 155; **trapezifolia** 155

Kalmia latifolia 405, 409, 410, 412
Karwinskia 286
Keithia Chamaecyparissi 256
Kochia scoparia 391–397
Kochia scoparia, The development of the embryo of 391

Laboulbenia chaetophora 256; Gyrinidarum 256
Lachnea 89
Lagenaria 319; leucantha 338; vulgaris 338
Lanomyces tjibodensis 241
Lasiobotrys 242
Laurus aestivalis 323; nobilis 323, 325
Libanotis montana 141
Light relations in Polysphondylium 49
Limacinia 260, 262
Linaria Linaria 139; vulgaris 139, 141
LINDEGREN, CARL C. The genetics of Neurospora—I. The inheritance of response to heat-treatment 85;—II. Segregation of the sex factors in the asci of N. crassa, N. sitophila, and N. tetrasperma 119
Liquidambar 315
Liriodendron Tulipifera 409
List of algae from Missouri, A 289
List of families and genera of the Green River flora 315
Literature, Index to American Botanical 35, 103, 157, 229, 301, 377, 430, 500, 545
Livistonia 182
Lomatia 319, 335; ilicifolia 335; obliqua 335
Lonchocarpus longistylus 285
Loranthaceae and Monimiaceae from the Northern Andes, New 513
Loranthus lucarquensis 516
Luffa 318; acutangula 338; foetida 338
Lupinus albus 214
Lysigonium 290

Macrocalyx 155, 156
Macrozamia 178, 187
Magnesium requirements of Aspergillus niger, 443
Malpighia 319, 327, 329; biflora 330; Harrisii 327, 330; punicifolia 327, 330; urens 327, 330
Malus Malus 139; sylvestris 139
Manihot 284, 288; carthaginensis 284; dulcis 284; esculenta 284, 286
MANN, MARY LEE. Calcium and magnesium requirements of Aspergillus niger 443
Maranta 288
Marasmius 2
Maya area, A biological survey of the 7
Maytenus 330; elliptica 331; tetragona 331
Melilotus 152
Meliola 4, 241–251, 254, 258–262; amphitricha 254; asterinoides 261; bifida 248; circinans 241; corallina 254; cymbisterma 254; furcata 246, 260; Psidii 242
Meliola circinans, The morphological and cytological development of 241
Meliolaster 247
Metopium Brownei 286
Miconia 361, 365; acuminata 361, 362; ampla 362, 363; amplexans 366, 367; **axinaeoides** 366, 368; **biglandulosa** 366, 367; Boissieriana 365; **fissa** 362, 363; francavillana 361, 362; gratissima 361, 362; holosericea 361, 362; involucrata 361–363; macrophylla 365, 367; macrotis

365; **megaphylla** 362, 363; Plukenetii 366, 369; plumosa 366, 369; polita 361; rugosa 366, 369; silicicola 366, 369; titanophylla 365; tomentosa 366, 367; tomentosa auriculata 367; tomentosa ovata 367; **triangularis** 367, 369
Microascus intermedius 417; trigonosporus 416
Microcycas 187
Microsphaera 246, 261
Microspora amoena 290, 293; Loefgrenii 290
Mimosa 155; trapezifolia 155
Mirabilis Jalapa 282, 396
Missouri, A list of algae from 289
MOLDENKE, HAROLD N. A discussion of tautonyms 139
Monilia 191, 347; fructigena 347; sitophila 191, 215, 216
Monimiaceae from the northern Andes, 513
Monochaetia 532, 540, 542, 543
Morphological and cytological development of Meliola circinans 241
Mucor 49, 76
Musa paradisiaca sapientum 321; sapientum 321
Mycology, Tropical 1
Myrica asplenifolia 323, 410; Gale 323
Myristica 156; Otoba 156
Myroxylon Pereirae 286, 288

Nageiopsis 173
Nelumbo Nelumbo 140
Nematospora Phaseoli 420
Neurospora 85–101, 119–137, 347–360; crassa 92–136, 349—358; sitophila 94–137, 347—360; tetrasperma 100, 119–137, 256, 349–360
Neurospora—I. The inheritance of response to heat-treatment, The genetics of 85;—II. Segregation of the sex factors in the asci of N. crassa, N. sitophila and N. tetrasperma, The genetics of 119
Neurospora, Functions of microconidia of 347
New ascocarpic species of Penicillium 221
New Jersey, Natural distribution of Rhododendron maximum in 401
New species of Tertiary cycads 169
Nostoc commune 297
Nyctelea 155, 156; ambigua 156; **americana** 155, 156; micrantha 156; Nyctelea 156; pinetorum 156

Ocotea flavescens 323, 325
Oedogoniales of Missouri 294
Oidium lactis 454
Olyra 491
Opuntia Blakeana 214
Organization and light relations in Polysphondylium 49
Oryctanthus 516; **Archeri** 516; **lucarquensis** 516, 517
Oscillatoria chalybea 290; curviceps 296; minima 290, 296
Otoba 156; incolor 156; **novogranatensis** 156; Otoba 156

Padus 152; Padus 152
Panicum 491; palmifolium 491–498
Panicum palmifolium, The anatomy of the leaf of 491
Parodiopsis 262
Parthenium argentatum 18
Parthenocissus 334; hirsuta 324, 332, 334; quinquefolia 334
Pathology and mycology, Tropical plant 1
Paullinia 283; Cururu 287
Pedilanthus itzaeus 282
Penicillium 221–223, 347, 446, 447, 452, 453, 455, 456, 458, 459, 484; avellaneum 222; **bacillosporum** 221–223, 225, 227; candidum 222; glaucum 191, 213, 222, 415, 446, 448, 449; italicum 222, 223, 449; luteum 222, 224; luteum-purpurogenum 222; spiculisporum 222, 223; Wortmanni 222, 223
Penicillium, A new ascocarpic species of 221
Perisporium 260
Perrottetia 4
Persea americana 323, 325; gratissima 325
Persicaria 139; Persicaria 139
Pestalozzia 529, 530, 532, 540, 543; funerea 525–543; Guepini 531
Pestalozzia funerea, Cultural races and the production of variants in 525
Phacelia 427; leptosepala 429; nemoralis 429; **Piersoniae** 429
Pharus 491
Phaseolus multiflorus 82
Phormidium 290; uncinatum 297
Phragmites Phragmites 140
Phthirusa **gonioclada** 515, 516; lucarquensis 516; oriencensis 515, 516; **tortuosa** 514, 516
Phyllactinia 250, 252, 259; corylea 256, 259
Phyllophora Brodiaei 350

Phyllorachis 491
Physalis 19
Phytophthora 1
Picea 313, 314; Engelmanni 541
Pilobolus microsporus 77; oedipus 77
Pimenta officinalis 285
Pinus 282, 313, 314; Banksiana 541; canariensis 541; caribaea 282, 541; divaricata 540; insignia 541; longifolia 541; Massoniana 541; palustris 525, 541; ponderosa 540, 541; resinosa 541; Strobus 409, 451
Piper auritum 285
Piptocarpha 370; asterotrichia 370, 373; **canescens** 371, 373; elaeagonoides 370; gracilis 370; **insignis** 370, 371; laxa 371; Lechleri 370; **longifolia** 371, 372; opaca 373; Poeppigiana 371, 373; Sodiroi 371; Sprucei 371; tereticaulis 371; **vismiaefolia** 371, 372
Piscidia 287
Pithecellobium 155
Pithecoctenium 283, 288
Pithecolobium albicans 288
Pithophora 290
Planera 315, 319
Plant pathology and mycology, Tropical 1
Plants of Yucatan, Useful 279
Pleurage anserina 341–344
Pleurage anserina, An hermaphroditic self-sterile but cross-fertile condition in 341
Plumeria alba 284
Podocarpus 177
Podosphaera 242
Podospora anserina 256
Pollen of the living representatives of the Green River flora 313
Polygonum 139; Persicaria 139
Polyporus 1
Polysphondylium 49, 51, 53, 67, 72–77, 79–82
Pontederia 320, 321; cordata 320, 326
Populus 315
Production of variants in Pestalozzia funerea 525
Progeny study of the so-called oak species Quercus Saulii, with notes on other probable hybrids found in or near the District of Columbia 267
Program for a world-wide study of woods, An international 29
Progress of botanical exploration in tropical South America 21
Prosopis chilensis 284
Protium Copal 288
Protococcus 449
Prunus 152; avium 423; Padus 152
Pseudotsuga taxifolia 541
Psittacanthus obovatus 514; **verticillatus** 514
Puccinia graminis 415; Helianthi 355
Pyronema 357
Pythium 1

Quercus 276, 282, 315, 406; alba 268–270, 272, 276, 406, 409; bicolor 276; coccinea 275; falcata 271, 273–275; heterophylla 274; ilicifolia 276; imbricaria 273–276; leana 276; marilandica 270–275; maxima 274–276; montana 268–270, 272; Muhlenbergii 276; palustris 272, 273, 275; Phellos 267, 270–276; prinoides 276; Prinus 276, 406, 410; rubra 271, 273, 275, 276; Rudkini 272; Saulii 268–272; stellata 269, 276, velutina 275, 276, 406
Quercus Saulii, A progeny study of the so-called oak species 267

RECORD, SAMUEL J. An international program for a world-wide study of woods 29
Regeneration in a sweet cherry leaf 423
Rhizoclonium hieroglyphicum 290
Rhizoctonia 1
Rhizophora Mangle 288
Rhizopus 480; nigricans 450
Rhododendron 410; maximum 401–404, 406–410, 412
Rhododendron maximum in New Jersey, Natural distribution of 401
Rhodophyceae of Missouri 295
Rhoeo discolor 288
Rhus 332, 333; glabra 324, 332; hirta 333; typhina 333
Rhynchosia pyramidalis 284
Rocella tinctoria 141
Rubus 5

Salsola Kali 393
Sambucus 337; canadensis 337; nigra 337; peruviana 337
Sapindus 331; Drummondii 331; marginatus 331; Saponaria 288
Saprolegnia 76
Sassafras Sassafras 139; variifolium 139
Schizosaccharomyces octosporus 420
Schmaltzia glabra 332; hirta 333
Schollera graminea 321

Sclerotinia 347, 348, 351; fructigena 347
Sclerotium 351; Gladioli 351, 355, 356; Rolfsii 1
Sebesten Sebestena 140
Sedum 325, 326; acre 326; Nuttallianum 326
Segregation of the sex factors in the asci of Neurospora 119
Self-sterile but cross-fertile condition in Pleurage anserina 341
Sepedonium 417; albo-luteum 417
Septoria 525; acicola 525
Sequoia Langsdorfii 171
Sesbania Sesban 140
Shropshiria 5
Sida acuta 283
Siparuna amplifolia 521; **Archeri** 517; asperula 524; **asterotricha** 520; **elliptica** 521; eriocalyx 524; gesnerioides 524; **huilensis** 521; macrotepala 518; Mutisii 521; nicaraguensis 518; **pectinata** 522; Pennelli 519, 520; **quadrangularis** 524; **sinuata** 518; **subscandens** 523; **tapatana** 519, 520; tetraceroides 523; Trianae 521; venezuelensis 518, 519
Siphonales of Missouri 294
SMITH, ALBERT C. Studies of South American plants. II. New Loranthaceae and Monimiaceae from the northern Andes 513
Sorbus 152
South America, Studies on the flora of northern 361
South America, The progress of botanical exploration in tropical 21
South American plants. II. New Loranthaceae and Monimiaceae from the northern Andes 513
Sparganium 319; acaule 320; androcladum 320
SPENCER, ERNEST L. Natural distribution of Rhododendron maximum in New Jersey 401
Sphaeria amphitricha 242
Sphaerotheca 250, 259; Castagnei 259; Humuli 259
Spirogyra 290, 448–450
Spondias lutea 333; Mombin 333; purpurea 282
Stangera 187
Starch, Inhibiting influence of colloidal 191
STEHLE, KATHERINE BROWNE. Inhibiting influence of colloidal starch, inulin, and agar on the stimulation of Aspergillus niger by zinc sulphate 191
Stellaria media 393
Sterculia 334; apetala 334; carthaginensis 334; foetida 334; mexicana 334
Sterigmatocystis nigra 212, 444, 447, 449, 472
STEVENS, F. L. Tropical plant pathology and mycology 1
Stigeoclonium 290
Stomatogene Agaves 248
Struthanthus **calophyllus** 516; dichotrianthus 516
Studies of South American plants. II. New Loranthaceae and Monimiaceae from the northern Andes 513
Studies on the flora of northern South America—XVII 361
Study of the so-called oak species Quercus Saulii, with notes on other probable hybrids found in or near the District of Columbia 267
Styles, Control of gametophytic selection in Datura through shortening and splicing of 109
SWIFT, MARJORIE E. A new ascocarpic species of Penicillium 221
Synchytrium 355

Talisia 331; depressa 331; olivaeformis 331
Tamonea 361, 365
Taonabo 335
Taraxacum Taraxacum 140
Tautonyms 139
Taxus 317
Ternstroemia granulata 335
Tertiary cycads, with a review of those previously recorded, 169
Tertiary pollen—I. Pollen of the living representatives of the Green River flora 313
Testudina 243
Tetrasporales of Missouri 292
Theobroma 285; Cacao 334
Thielavia 415–417; **Sepedonium** 417, 419, 420; terricola 416–420
Thielavia, The development of the ascocarp in two species of 415
Thryallis 327
Tilia 318
Tribonema 290; bombycinum 290
Trichothyrium 261
Tropical plant pathology and mycology 1

Tsuga 412; canadensis 403, 406, 409, 410, 412
Typha 319; angustifolia 319; latifolia 319

Ulmus 319
Ulotrichales of Missouri 292
Uncinula salicis 248
Urera baccifera 282
Uromyces appendiculatus 354; Vignae 354
Useful plants of Yucatan 279

Vaccinium pennsylvanicum 409
Vanilla fragrans 285
Vaucheria 290, 449
Veronia 367, 374; **albifila** 374; elaeagnoides 370; **Fieldiana** 374; gracilis 370; Mandonii 374; polyanthes 375
Verpa bohemica 256
Viburnum 409; acerifolium 409
Viguiera helianthoides 284
Vitis vinifera 334
Volvocales of Missouri 291

WILLIAMS, LOUIS, Field and herbarium studies, I 427
WILLIAMS, MARION E. The development of the embryo of Kochia scoparia 391
WODEHOUSE, R. P. Tertiary pollen—I. Pollen of the living representatives of the Green River flora 313
Woods, An International program for a world-wide study of 29

YOUNG, V. A. Regeneration in a sweet cherry leaf 423
Yucatan, Useful plants of 279

Zamia 170, 173–175, 178, 182–187, 286, 288; angustifolia 173; australis 176, 184; boliviana 175; collazoënsis 173, 175, 184; Feneonis 178; floridana 173; formosa 178; furfuracea 286; integrifolia 174–176; mississippiensis 173, 184; Noblei 174, 184; praecedens 174, 184; pumila 173, 174; salicina 174; tennesseeana 173, 184; tertiaria 175, 177, 180, 184; umbrosa 174; wilcoxensis 173, 174, 184
Zamiostrobus 178, 179, 185; Saportanus 178
Zamiphyllum 176; sambiense 176
Zamites 174, 181; arcticus 176; eocenicus 176; epibius 178, 179, 181; Gorceixianus 181; palaeocenicus 176; Raczkieviczi 178; sambiensis 176
Zea 17; canina 17; Mays 285, 496
Zizyphus Jujuba 324, 332, 333; sativa 333; sonorensis 333; vulgaris 333
Zukalia 243, 260
Zygnematales of Missouri 294